

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

NOTE: r = diameter







FIG. 1


FIG. 2











Figs (c--c' is without flush)

Figure 10 is a cross-sectional diagram of a mechanical device, possibly a valve or pump. The central feature is a circular component labeled 13a. A vertical tube labeled 53 extends upwards from the top of this component. A curved component labeled 54 is positioned above the central assembly. A dashed line labeled B-B indicates a view of the internal structure of the device. Labels 311, 310, and 60 are also present, likely referring to specific parts or measurements within the device's structure.









۲۳




Fig. 24












Fig 25





8




Fig. 35





Fig 35a









1932


1



Fig 34

10










14









Fig. 52




15






2561




1858



A detailed technical cross-sectional diagram of a mechanical assembly, likely a pump or valve, showing internal components and external parts labeled with numbers. The diagram includes a legend with symbols for 'A' (a circle with a dot), '44' (a rectangle), and '34' (a triangle).

Fig 61



1961









Fig. 6 =



—

Fig 68



19




Fig 67





Fig 66

Fig 65



6.7






Fig 76

20




180



91a

37b

FIG. 75



30abc
VIEW A--A

VIEW B--B
FIG. 77




FIG. 78




FIG. 79